



COVID-19 Adjustments HLT AID001 Provide Cardiopulmonary Resuscitation

Each person needs to remain 1.5 meters apart at all times. Each person will use their own manikin and first aid kit. The defibrillators and Epipens can be shared and cleaned by the assessor after each use. The participants will be required to wash their hand, use hand sanitiser, and wear gloves, changing regularly. If the baby manikins need to be shared, they will need to be clean by the assessor after each use and the participants are asked not to administer puffs into the manikin. Please read the attached RISK ASSESSMENT.

Element	Performance Criteria	How to perform	Resources
1. Respond to an emergency situation	1.1 Recognise an emergency situation	Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	Manikin per person Manikin face & lungs per person Spray hibitane or Chloride Hexedine Gloves Masks / Face shields Hand sanitiser Defibrillator Spare pens (non-returnable) if student forgot one
	1.2 Identify, assess and manage immediate hazards to health and safety of self and others	Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	
	1.3 Assess the casualty and recognise the need for CPR	Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	
	1.4 Seek assistance from emergency response services	Simulation and verbalising each step through the procedure using a Manikin Simulate calling 000 Instructional prompts from the Assessor	



2. Perform CPR procedures	2.1 Perform cardiopulmonary resuscitation (CPR) in accordance with Australian Resuscitation Council (ARC) guidelines	Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	Manikin per person Manikin face & lungs per person Spray hibitane or Chloride Hexedine Gloves Masks / Face shields Hand sanitiser Defibrillator Spare pens (non-returnable) if student forgot one
	2.2 Display respectful behaviour towards casualty	Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	Manikin per person Manikin face & lungs per person Spray hibitane or Chloride Hexedine Gloves Masks / Face shields
	2.3 Operate automated external defibrillator (AED) according to manufacturer's instructions	Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	Hand sanitiser Defibrillator Spare pens (non-returnable) if student forgot one
3. Communicate details of the incident	3.1 Accurately convey incident details to emergency response services	Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	Manikin per person Manikin face & lungs per person Spray hibitane or Chloride Hexedine Gloves Masks
	3.2 Report details of incident to workplace supervisor as appropriate	Complete a Incident/Accident report theory	Hand sanitiser Defibrillator Spare pens (non-returnable) if student forgot one

COVID-19 CPR Training Adjustments



ROYAL LIFE SAVING
WESTERN AUSTRALIA

	3.3 Maintain confidentiality of records and information in line with statutory and/or organisational policies	Theory	Accident/incident report Spare pens (non-returnable) if student forgot one
Followed DRSABCD in line with ARC guidelines, including: performed at least 2 minutes of uninterrupted single rescuer cardiopulmonary resuscitation (CPR) (5 cycles of both compressions and ventilations) on an adult resuscitation manikin placed on the floor	Where training is conducted, given the high risk of transmission of COVID-19 through bodily fluids such as saliva, RTOs must provide a “reasonable adjustment” to all students when teaching and assessing the performance of ventilations on a manikin.	Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	Manikin Adult & Baby per person Manikin face & lungs per person Spray hibitane or Chloride Hexedine Gloves Masks Hand sanitiser Defibrillator Spare pens (non-returnable) if student forgot one
Performed at least 2 minutes of uninterrupted single rescuer CPR (5 cycles both compressions and ventilations) on an infant resuscitation manikin placed on a firm surface		Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	
Responded appropriately in the event of regurgitation or vomiting		Simulation and verbalising each step through the procedure using a Manikin Instructional prompts from the Assessor	

COVID-19 CPR Training Adjustments



ROYAL LIFE SAVING
WESTERN AUSTRALIA

Managed the unconscious breathing casualty		Verbal Discussion, in class, prompted by assessor Theory Demonstrate on manikin & verbally explain the recovery position	manikin
Followed single rescue procedure, including the demonstration of a rotation of operators with minimal interruptions to compressions		Verbal Discussion, in class, prompted by assessor Theory Apply a donut bandage to self	
Followed the prompts of an automated external defibrillator (AED)		Apply defibrillator to the manikin	Manikin Defibrillator gloves
Responded to at least one simulated first aid scenario contextualised to the candidate's workplace/community setting, including: demonstrated safe manual handling techniques provided an accurate verbal or written report of the incident		Verbal Discussion, in class, prompted by assessor Demonstration on manikin Theory	Manikin gloves



Assessment Conditions

Skills must be demonstrated working individually in an environment that provides realistic in-depth, industry-validated scenarios and simulations to assess candidates' skills and knowledge.

Assessment resources must include:

<p>Adult and infant resuscitation manikins in line with ARC Guidelines for the purpose of assessment of CPR procedures</p>	<p>Where training is conducted, given the high risk of transmission of COVID-19 through bodily fluids such as saliva, RTOs must provide a “reasonable adjustment” to all students when teaching and assessing the performance of ventilations on a manikin.</p>
<p>AED training device</p>	
<p>Workplace injury, trauma and/or illness record, or other appropriate workplace incident report form</p>	
<p>Simulated assessment environments must simulate the real-life working environment where these skills and knowledge would be performed, with all the relevant equipment and resources of that working environment.</p>	

COVID-19 CPR Training Adjustments



ROYAL LIFE SAVING
WESTERN AUSTRALIA

Identified Risk Effect of output	consequence	Impact	Likelihood	Overall Risk rating	Preventative action	Review date
Transmission of COVID-19 from Mouth to Mouth CPR on manikin	One or several candidates or trainer on the course are infected with COVID19. Damage to RLSS brand.	Severe	Unlikely	Medium	<ul style="list-style-type: none"> No students are to do breaths into the manikin. As per the AISC Statement all breaths are to be simulated to the side of the manikin. Disinfectant and alcohol wipes, hand sanitiser is provided to students to use between uses All students are provided with their own manikins that have been cleaned as per the Cleaning and disinfectant policy. Participants to observe "Social Distancing" measures (minimum 1.5m) at all times 	
Transmission of COVID-19 from contact with other students or trainer on a course	One or several candidates or trainer on the course are infected with COVID19. Damage to RLSS brand.	Severe	Possible	High	<ul style="list-style-type: none"> Number of candidates on courses are reduced to a maximum of 10 Where possible ensure windows and doors are left open to allow ventilation Student workspaces are spread out so that they are 	



					<p>a minimum of 1.5m apart from one another.</p> <ul style="list-style-type: none"> • The 4sqm per person rule is implemented indoors & outdoors. • Windows and doors are to be left open where possible to encourage airflow. • Students are provided with an information sheet advising them not to attend training if they have been in contact with a person who has tested positive to COVID-19 • Participants to observe “Social Distancing” measures (minimum 1.5m) at all times • Students and trainers are encouraged to download the COVIDSafe app • Students are asked to wash their hands with soap and water, then use sanitiser after each break time 	
--	--	--	--	--	---	--

COVID-19 CPR Training Adjustments



ROYAL LIFE SAVING
WESTERN AUSTRALIA

Transmission of COVID-19 from uncleaned shared equipment	One or several candidates or trainer on the course are infected with COVID19. Damage to RLSS brand.	Severe	Unlikely	medium	<ul style="list-style-type: none"> • Hard surface equipment is wiped down with disinfectant cleaner before and after use. • Equipment such as bandages disposed of after use • Where possible students will be issued with individual equipment • Hand sanitiser, gloves and washing facilities supplied 	
Transmission of COVID-19 from surfaces in training room	One or several candidates or trainer on the course are infected with COVID19. Damage to RLSS brand.	Severe	Unlikely	medium	<ul style="list-style-type: none"> • Regular cleaning of classroom surfaces, lunch room, toilets, reception and other high touch surfaces • Encouraging increased hand washing and the use of hand sanitiser. • gloves to be worn when touching manikins and conducting first aid treatments • Windows and doors are to be left open where possible to encourage airflow. • Conduct classes or activities outside if possible 	